Attachment 8: PC1A incorporating amendments to the notified version

In the following District Plan provisions:

- 1. Text that is struck through (example) is to be deleted from the District Plan.
- 2. Text that is underlined (example) is to be inserted into the District Plan.
- 3. Text that is shown struck through in red font (example) is proposed to be deleted to address matters raised in submissions.
- 4. Text that is shown underlined in red font (**example**) is proposed to be inserted to address matters raised in submissions.
- 5. Text that is shown underlined in red font with yellow highlighting (**example**) is proposed, pursuant to clause 16 (2) of Schedule 1 to the Resource Management Act 1991, to correct minor editorial errors.

1 Part 1- Introduction and General Provisions- Interpretation- Definitions:

'ACCESSIBLE CARPARK means a carpark designed and marked (for instance, in accordance with the mobility car parking scheme) for use by persons with a disability or with limited mobility and accessible carparking has a corresponding meaning.'

2. In Chapter TR-PARK – Parking: Amend Policy TR-PARK-P8 requiring provision for 'accessible carparks' and 'accessible carpark' as follows:

TR-PARK-P8 Parking

All new *subdivision* and *development* shall provide for safe vehicular and pedestrian access and appropriate **vehicle parking areas** *accessible carparks* by:

- 1. <u>providing parking accessible carpark</u> numbers, layouts and dimensions consistent with parking standards that meet the needs of users;
- **2.** supplying adequate off street <u>parking accessible carparks</u> to meet the demand of the *land* use while having regard to the following factors:
 - a. the intensity, duration location and management of the activity.
 - b. the adequacy of parking accessible carparking in the location and adjacent areas.
 - c. the classification and use of the *road* (as per transport network hierarchy in TR-Table 7), and the speed restrictions that apply.
 - **d.** the nature of the *subject site*, in particular its capacity to accommodate parking accessible carparks.

- e. the characteristics of the previous activity **that utilised undertaken on** the *subject site*;
- f. where the new development is an alteration or addition to an existing building, the actual demand for accessible carparks created by the additional gross floor area added to the existing building (excluding any uncovered patio or deck);
- 3. taking effects on neighbouring areas into account when designing the location, layout and number of parking spaces (including car and cycle parks and disability car parks) accessible carparks;
- 4. ensuring the location, layout and number of disability and cycle parks and accessible carparks is safe, user-friendly and appropriate. and
- 5. achieving a balance between encouraging mitigation of parking overflow effects (e.g. shared use of car parking), and discouraging carbased travel through the use of travel plans. recognising that, where an existing building comprises multiple individual businesses or activities (e.g. a shopping mall) any existing accessible carparks available for that building will be considered to contribute to meeting demand for accessible carparks associated with new activities within the existing building provided that any alterations or additions to facilitate the new activity do not increase the gross floor area of the existing building.
- 3. Rule TR-PARK-R18: Amend and insert the following Rule TR-PARK-R18 requirements for accessible carparks:

(Rule TR-PARK-R18 is also intended to be amended under proposed plan change 1B: Cycle parking provisions).

TR-PARK-R18 Any activity requiring more than 2 carparks.

Accessible carparks

- 1. Measurement criteria apply to activities under this rule.
- 2. Where specified in TR-Table 6A, measurement criteria apply to activities under this rule

Permitted Standards

Activity

- 1. Disabled persons Accessible carparks and bicycle parking must be required provided at a the rate shown in Table TR-Table 6A below of:
 - a. 1 where 10 or less carpark spaces are provided;
 - b. 2 where between 11 and 100 carpark spaces are provided, plus 1 additional park for every additional 50 carparks, or part thereof, where more than 100 carpark spaces are provided.

TR-Table 6A: Minimum number of accessible carparks:

Activity	Gross floor area¹ or bar area, where stated	Staff/ employee numbers	Visitor/ people numbers	No of units	Other requirement
MEDIUM DENSITY	Y HOUSING				
<u>Multi-unit</u> <u>residential</u>				4-5 units: 1 space	
				6-25 units: 2 spaces	
				Plus 1 additional space for every	
				additional 25 units, or part thereof	
				<u>tiici coi</u>	
TEMPORARY ACC	OMMODATIO	<u>N</u>			
Hostels/Hotel/	<u>12m²-</u>	4-20 staff:		2-5 units:	<u>3-10</u>
Motels and	43m ² of	1 space		1 space	bedrooms/
<u>Visitor</u>	bar area:			_	guestroom/
<u>Accommodatio</u>	1 space	<u>21-200</u>		6-25 units:	campsite or
<u>n</u>		staff:		2 spaces	motorhome
	44m ² –	2 spaces		DI 4	site:
Minor	400m ² of	Disco 4		Plus 1	1 space
residential units	bar area:	Plus 1		additional	11 100
are exempt	2 spaces	additional		space for	11-100
from this standard.		space for		<u>every</u> additional	bedrooms/
<u>stanuaru.</u>		<u>every</u>		auditional	guestroom/

Measurement Criteria:

- 1. When measuring gross floor area, include: covered yards and areas covered by a roof but not enclosed by walls. Exclude: uncovered stairways; floor space in terraces (open or roofed), external balconies, breezeways or porches; roof car parking, lift towers and machinery rooms on the roof having a floor area of not more than 200m²; car parking areas; and floor space of interior balconies and mezzanines not used by the public.
- Where a proposed activity occurs within an existing building comprising multiple individual businesses or activities (e.g. within a shopping mall) any existing accessible carparks available for that building may be considered to contribute to meeting demand for accessible carparks associated with the proposed activity.

INDUSTRIAL ACTI		100 staff, or part thereof	thereof	motorhome site: 2 spaces Plus 1 additional space for every additional 50 bedrooms/ guestroom/ campsite or motorhome site, or part thereof
Manufacturing and service	100m² - 500m²: 1 space 501m² - 5000m²: 2 spaces Plus 1 additional space for every additional 2500m², or part thereof			
Trademen's Workshops/Ser vice Station/ Motor garages		3 -15 employees: 1 space 16 - 150 employees: 2 spaces		1 to 3 Workshop Bays: 1 space 4 - 25 Workshop Bays: 2 spaces

		Plus 1 additional space for every additional 75 employees, or part thereof		Plus 1 additional space for every additional 13 Workshop Bays, or part thereof
Warehouses (Trading)	100m² – 350m²: 1 space 351m² – 3333m²: 2 spaces Plus 1 additional space for every additional 1666m², or part thereof			
Warehouses (Storage)	300m² - 1500m²: 1 space 1501m² - 15000m²: 2 spaces Plus 1 additional space for every additional 7500m², or part thereof			
RETAILING Retailing, retail activities and retail outlets and other	100m² – 350m²: 1 space			

_				
	<u>activities</u>	351m ² –		
	involving	3333m ² :		
	<u>retailing.</u>	2 spaces		
	<u>Measurement</u>	Plus 1		
	criteria:	additional		
		space for		
	1. gross floor	every		
	area or display	additional		
	area, where	1666m ² , or		
	applicable,	part		
	whichever is	thereof		
		thereor		
	greater.			
	2.measurement			
	criterion 2			
	applies.			
	Roadside stalls	Up to		
	<u>on strategic</u>	30m ² :		
	<u>arterial routes</u>	1 space		
	Large Format	500m ² -		
	<u>Retailing</u>	2000m ² :		
		2 spaces		
	Measurement			
	criterion 2	Plus 1		
	applies	additional		
	<u> </u>	space for		
		every		
		additional		
		1000m ² , or		
		<u>part</u>		
		<u>thereof</u>		
	Companya contrata	F00m²		
	<u>Supermarkets</u>	500m ² –		
		2000m ² :		
	<u>Measurement</u>	2 spaces		
	<u>criterion 2</u>			
	applies	Plus 1		
		<u>additional</u>		
		space for		
		<u>every</u>		
		<u>additional</u>		
		1000m ² , or		
		<u>part</u>		
		thereof		

HOSPITALITY Taverns / 12m² - 5 - 20	
licenced premises 1 space 1 sp	
premises (excluding restaurants) 41m²- 400m²: staff: 2 spaces 2 spaces 2 spaces 1 space 41m²- 400m²: staff: 2 spaces 2 spaces 2 spaces 2 spaces 1 space 2 spaces 2 spaces 2 spaces 2 spaces 2 spaces 1 space 2 spaces 2 spaces 2 spaces 2 spaces 2 spaces 2 spaces 1 space 2 spaces 2 spaces 2 spaces 2 spaces 1 space 2 spaces 2 spaces 1 space 1 sp	
Alm²- Staff: St	
restaurants) Measurement criteria: 1. Measured by gross floor area served by the bar (excluding restaurants). 2. When measuring gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	
Measurement criteria: 400m²: 2 spaces 2 spaces 1. Measured by gross floor area served by the bar (excluding restaurants). pust 1 additional space for every additional 200m², or part thereof 2. When measuring gross floor area, include: oc overed yards and areas covered by a roof but not enclosed by walls Exclude: uncovered stairways; • floor space in terraces (open or roofed), external balconies, external balconies,	
Measurement criteria: Plus 1 additional space for every additional (excluding restaurants). 2. When measuring gross floor area, include: • covered yards and areas covered by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
criteria: Plus 1 additional space for every additional space for every additional space for every additional 200m², or part 2. When measuring gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	
1. Measured by gross floor area served by the bar (excluding gross floor area, include: • covered by aroof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
1. Measured by gross floor area served by the bar (excluding restaurants). 2. When measuring gross floor area, include: • covered yards and areas covered by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	
gross floor area served by the bar (excluding restaurants). 2. When measuring gross floor area, include: • covered yards and areas covered by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	
the bar (excluding restaurants). When thereof thereof covered yards and areas covered by a roof but not enclosed by walls Exclude: uncovered stairways; of loor space in terraces (open or roofed), external balconies,	
the bar (excluding restaurants). 2. When measuring gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
(excluding restaurants). 200m², or part thereof 2. When measuring gross floor area, include: thereof • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; floor space in terraces (open or roofed), external balconies,	ļ
restaurants). 2. When measuring gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
2. When measuring gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
measuring gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
gross floor area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
area, include: • covered yards and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
covered yards and areas covered by a roof but not enclosed by walls Exclude: uncovered stairways; floor space in terraces (open or roofed), external balconies,	ļ
and areas covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
covered by a roof but not enclosed by walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
roof but not enclosed by walls Exclude: uncovered stairways; floor space in terraces (open or roofed), external balconies,	ļ
enclosed by walls Exclude: uncovered stairways; floor space in terraces (open or roofed), external balconies,	ļ
walls Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
Exclude: • uncovered stairways; • floor space in terraces (open or roofed), external balconies,	ļ
• uncovered stairways; • floor space in terraces (open or roofed), external balconies,	
stairways; • floor space in terraces (open or roofed), external balconies,	
• floor space in terraces (open or roofed), external balconies,	ļ
• floor space in terraces (open or roofed), external balconies,	ļ
terraces (open or roofed), external balconies,	
or roofed), external balconies,	ļ
external balconies,	ļ
balconies,	ļ
	ļ
<u>breezeways or</u>	ļ
porches;	ļ
• roof car	ļ
parking, lift	ļ
towers and	ļ
<u>machinery</u>	ļ
rooms on the	ļ
roof having a	ļ
floor area of	
not more than	
200m²;	
• <u>car</u>	
parking areas;	
and and	

• floor space of interior balconies and mezzanines not used by the public.				
Restaurants Measurement criterion 2 applies		5-20 staff: 1 space 21 -50 staff: 2 spaces Plus 1 additional space for every additional 25 staff, or part thereof	15 – 50 people: 1 space 51 – 500 people: 2 spaces Plus 1 additional space for every additional 250 people, or part thereof	
COMMERCIAL AC	TIVITIES			
Non-retail commercial activities	100m ² – 350m ² : 1 space			
<u>Measurement</u> <u>criteria:</u>	351m ² – 3333m ² :			
 Measurement criterion 2 applies. 1. Measured by gross floor area or display area, where applicable, whichever is greater. 	Plus 1 additional space for every additional 1666m², or part thereof			
3. 2.When measuring				

gross floor			 	
area, include:				
• covered yards				
and areas				
covered by a				
roof but not				
enclosed by				
<u>walls</u>				
Exclude:				
• uncovered				
stairways;				
• floor space in				
terraces (open				
or roofed),				
external				
balconies,				
breezeways or				
porches;				
• roof car				
parking, lift				
towers and				
machinery				
rooms on the				
roof having a				
floor area of				
not more than				
200m²;				
• <u>car</u>				
parking areas;				
and				
• floor space of				
interior				
balconies and				
mezzanines				
not used by				
the public.				
the public.				
RECREATION ACTI	VITIES		 	
Sports Fields		<u>-</u>		1-4 sports
(including lawn				<u>field:</u>
bowls)				2 spaces
				Plus 1
				<u>additional</u>
				space for
				every 2
				<u>additional</u>

			sports fields, or part thereof
Court Sports (including bowling alleys);	15m²- 50m²: 1 space		1-3 Courts: 1 space
Clubrooms; and Grandstands.	<u>51m²-</u>		4-25 Courts: 2 spaces
Measurement criteria:	500m ² : 2 spaces Plus 1		Plus 1 additional space for
1. Measured by the number of courts or	additional space for every		every 13 additional Courts, or
gross floor area, whichever is	additional 100m², or part		part thereof
greater).	thereof		
2. When measuring gross floor			
area, include:covered yardsand areas			
covered by a roof but not enclosed by			
walls Exclude:			
• <u>uncovered</u> <u>stairways;</u>			
• floor space in terraces (open or roofed),			
external balconies, breezeways or			
<u>porches;</u> • <u>roof car</u>			
parking, lift towers and machinery			
rooms on the roof having a floor area of			

not more than					
<u>200m²;</u>					
• <u>car</u>					
parking areas;					
and and					
 floor space of 					
<u>interior</u>					
balconies and					
<u>mezzanines</u>					
not used by					
the public.					
CHURCHES, CINE	MAS. HALLS. C	ONFERENCE FA	ACILITIES. FUN	ERAL HOMES.	
CREMATORIUMS					-
Churches,	<u>30m² –</u>		<u> 18 – 60</u>		
cinemas, hall,	100m ² :		seats/		
<u>conference</u>	1 space		patrons:		
facilities,			1 space		
funeral homes,	101m ² -				
crematoriums	1000m ² :		<u>61 – 600</u>		
and	2 spaces		seats/		
entertainment			patrons:		
<u>activities</u>	Plus 1		2 spaces		
	additional				
Measurement	space for		Plus 1		
criteria:	every		additional		
	additional		space for		
1. When	500m ² , or		every		
measuring any	part		additional		
cinema,	thereof		300 seats/		
<u>conference</u>			patrons, or		
facility or			part		
entertainment			thereof		
activity,			<u> </u>		
measurement					
criterion 2					
applies.					
2. 1.mMeasured					
by either gross					
floor area or					
no. of seats/					
patrons					
(whichever is					
greater)					
<u>Breater j</u>					
3. 2. When					
measuring					
gross floor					
area, include:					

• cov	ered yards			
and	l areas			
cov	ered by a			
	f but not			
	losed by			
wal	-			
- Wai	113			
Excl	ude.			
	overed			
	rways;			
	or space in			
	races (open			
	oofed),			
	<u>ernal</u>			
<u>bal</u>	<u>conies,</u>			
<u>bre</u>	ezeways or			
por	ches;			
• <u>roo</u>	f <i>car</i>			
par	king, lift			
	ers and			
	chinery			
	ms on the			
	f having a			
	or area of			
	more than			
	more than m²;			
• <u>car</u>				
	king areas;			
and	- '			
	or space of			
	erior 			
	conies and			
	<u>zzanines</u>			
	used by			
the	public.			
HEA	<u>LTHCARE</u>			
Doc	tors;	<u>1-3 full</u>	<u>3 – 15</u>	
Hos	oitals <u>;</u>	<u>time</u>	residents/	
Med	<u>lical</u>	<u>equivalent</u>	patient	
Cent	tres/ Health	specialist	beds:	
	cialists; and	(doctor,	1 space	
_	erinary	vet etc):		
	eons	1 space	<u> 16 – 143</u>	
33.18	<u> </u>		residents/	
Med	surement	4-25 full	patient	
crite		time	beds:	
Citte		<u>equivalent</u>	2 spaces	
		specialists:	<u>z spaces</u>	
		specialists:		

When	2 spaces	Plus 1	
measuring	<u>z spaces</u>	additional	
Doctors,	Plus 1	space for	
Medical Centres	additional	every	
and Health	space for	additional	
Specialist		72	
	every		
activities,	additional	residents/	
measurement	12.5 full	patient	
criterion 2	<u>time</u>	beds, or	
applies.	<u>equivalent</u>	part	
	specialists,	<u>thereof</u>	
	or part		
	thereof		
	<u>5- 20</u>		
	<u>full time</u>		
	<u>equivalent</u>		
	non		
	<u>specialist</u>		
	staff:		
	1 space		
	<u>21-200 full</u>		
	<u>time</u>		
	<u>equivalent</u>		
	<u>non</u>		
	<u>specialist</u>		
	<u>staff:</u>		
	2 spaces		
	<u>Plus 1</u>		
	<u>additional</u>		
	space for		
	<u>every</u>		
	<u>additional</u>		
	<u>100 full</u>		
	<u>time</u>		
	<u>non</u>		
	<u>specialist</u>		
	staff, or		
	<u>part</u>		
	<u>thereof</u>		
EDUCATIONAL FA	<u>CILITIES</u>	<u>, </u>	
Kindergartens/	<u>5-20 staff:</u>		
<u>day care</u>	<u>1 space</u>		
centres/			
nurseries;	<u>21-200</u>		
Primary/	<u>staff:</u>		
Kindergartens/ day care centres/ nurseries;	time equivalent non specialist staff, or part thereof CILITIES 5-20 staff: 1 space 21-200		

Socondoni	2 cncccc		
Secondary	2 spaces		
schools; Work			
skills training	<u>Plus 1</u>		
centres.	<u>additional</u>		
	space for		
	every		
	additional		
	100 staff,		
	or part		
	-		
	<u>thereof</u>		
<u>Tertiary</u>	<u>5-20 staff:</u>	<u>11-50 full</u>	
<u>establishments</u>	1 space	<u>time</u>	
		students:	
Measurement	21-200	1 space	
criteria:	staff:		
	2 spaces	51-500 full	
The number of	<u> </u>	time	
full-time	Plus 1	students:	
students is	<u>additional</u>	2 spaces	
based on the	space for		
<u>maximum</u>	<u>every</u>	Plus 1	
number of	<u>additional</u>	<u>additional</u>	
students on-site	<u>100 staff,</u>	space for	
at any one	or part	<u>every</u>	
time.	thereof	additional	
		250 full	
		time	
		students,	
		or part	
		thereof	
CURRORTER LUCIO	204440047:0::		
SUPPORTED LIVING ACC		1	0.551.1
<u>Supported</u>	<u>5-20 staff</u>		9-40 beds:
<u>living</u>	members:		1 space
<u>accommodation</u>	1 space		
			<u>41 – 400</u>
	<u>21-200</u>		beds:
	staff		2 spaces
	members:		
	2 spaces		Plus 1
			additional
	Plus 1		space for
	additional		<u>every</u>
	space for		additional
	every		<u>200 beds, or</u>
	additional		part thereof
	<u>100 staff</u>		

	members on the subject site, or part thereof		

4. In MUZ-P1 Outer Business Centre Zone: Insert the following requirements for on-site vehicle loading and accessible carparking:

MUZ-P1 Outer Business Centre Zone

- 1. Subdivision, use and development in the Mixed Use Zone will provide for high amenity commercial development in a manner which:
 - a. remains compatible with the role and function of Metropolitan Centre Zone Precinct
 A as the primary retail and commercial core of the Paraparaumu Sub-Regional
 Centre;
 - b. is appropriate along an arterial road environment; and
 - c. is compatible with adjoining residential areas.
- 2. *Subdivision,* use and *development* in the Mixed Use Zone will be undertaken in the following manner:
 - a. adverse effects that would otherwise decrease the efficiency and effectiveness of Kāpiti Road as a transport corridor, including for public transport, will be managed;
 - apartment living and medium density housing developments will be encouraged east of Moana Road to consolidate residential densities within close proximity to Metropolitan Centre Zone Precinct A and the rail interchange;
 - c. retail activities will be provided for in a manner which minimises adverse effects on the role, function and vitality of the Metropolitan Centre Zone and ensures the safe, efficient function of the District's transport network and hierarchy by:
 - i. managing the scale of *retail activities* in the Ihakara Street East and Ihakara Street West Precincts;
 - ii. limiting the type and scale of retail activities in Kāpiti Road; and
 - iii. limiting the type and scale of *retail activities* in Paraparaumu North Gateway Precinct (as outlined in MUZ-P2); and

- d. amenity values of Kāpiti Road will be maintained or enhanced;
- e. <u>cycle parks</u>, <u>accessible carparks</u> and <u>vehicle manoeuvring will be provided for onsite</u>;

5. In GIZ-P11 Land Use and Built Form: Insert the following requirements for on-site accessible carparks:

GIZ-P1 Land Use and Built Form in the General Industrial Zone

A range of *industrial activities* within the *General Industrial Zone* will be provided for in a manner which avoids or mitigates impacts on adjoining *sensitive activities* and areas.

The location, type, scale and built form of *subdivision*, use and *development* in the *General Industrial Zone* will be managed to mitigate adverse *effects*, whilst meeting the District's economic needs.

Subdivision, use and development in the General Industrial Zone will be undertaken in the following manner:

- 1. *building* entrances will be obvious from the street through *landscaping* design or the form of the *building*;
- 2. sufficient on-site service areas, including accessible carparks and cycle parks, will be provided;
- 3. service areas will be screened and planting and *landscaping* will be provided for visual interest;

6. In DEV1-P14 Non-Residential Activities: Insert the following requirements for accessible carparking:

DEV1-P14 Non-Residential Activities

- Non-residential activities other than activities managed under the <u>Community Facilities</u>
 <u>chapter</u> will be allowed in the <u>Residential Zones</u> only if the activities are compatible
 with <u>residential activities</u> and the <u>amenity values</u> of residential areas, and if they provide a
 function which:
 - a. minimises the need to travel for daily goods and services;
 - b. supports the resilience of the local neighbourhood;
 - c. provides a service or function to the local neighbourhood; and
 - d. does not detract from the vitality of centres and other Working Zones.

- 2. In determining whether or not the scale of *effects* of *non-residential activities* is appropriate, particular regard shall be given to:
 - a. the appropriateness of the scale, size and intensity of the proposed *buildings* and activities and visual or landscape mitigation proposed;
 - b. the *effects* generated by the *buildings* and activities on the safety and efficiency of the local *transport network*, including the extent to which the activities make efficient use of the *transport network* by minimising the need to travel;
 - c. the appropriateness in the design and amount of proposed access and <u>accessible carparks</u> for staff, customers_τ <u>and</u> visitors <u>and the location of access</u> and <u>loading for service/delivery vehicles;</u>
 - d. the hours of operation, including the timing and frequency of delivery/service vehicles;
 - e. the *effects* on residential character and *amenity values* of the surrounding *environment* generated by the proposed *building* or activity;
 - f. *nuisance effects* (including *noise*, odour, light, glare, smoke and *dust*) produced onsite;
 - g. whether or not any proposed signage on the *subject site* is associated with the activity, visually distracting to motorists or dominating or detracting from the amenity of the surrounding *environment*;
 - h. whether the activities adversely affect the vitality of centres;
 - i. whether the activity provides goods and services to meet the daily needs of the local neighbourhood; and
 - j. any cumulative effects.

7. In Rule DEV1-R5 Home Businesses and Home Craft Occupations: Insert in the note the following reference to accessible carparking:

DEV1-R5	Home businesses and home craft occupations Qualifying criteria apply to activities under this rule.				
Permitted	Standards				
Activity	1. Home businesses and home craft occupations must:				
	 a. be carried out within a lawfully established residential building or an associated accessory building (excluding minor buildings) that meets the permitted activity standards in DEV1-R4; 				
	b. not involve the use of any source of motive power other than electric motors of not more than 0.56kw;				

- c. be limited to one *home business* and *home craft* occupations per site, excluding home offices;
- d. not have more than one non-resident person working on the *site* at any one time; and
- e. not have any deliveries related to the activity made to or from the *site* between the hours of 7pm and 7am.
- 2. The total floor area used for *home businesses* and *home craft* occupations must not exceed 40m².
- 3. In addition to Standards (1) and (2) above, for any home business:
 - a. any retailing must be an ancillary activity to the home business;
 - b. no goods on display shall be visible from outside the *building* in which the *home business* is undertaken; and
 - c. the maximum *retail floor space* or sales area must not exceed 10m².

Qualifying Criteria:

Home businesses and home craft occupations are performed entirely within a residential building or accessory building. Home businesses and home craft occupations shall not include any activity involving any panel beating, spray painting, motor vehicle repairs, fibre glassing, heavy trade vehicles, sheet metal work, wrecking of motor vehicles, bottle or scrap metal storage, rubbish collection service (except that empty, clean drums may be stored in a suitably screened area), wrought iron work or manufacture, motor body building, fish processing, breeding or boarding of dogs or cats, visitor accommodation or any process which involves repetitive use of power tools, drills or hammering or any business activity, trade, craft or profession which creates a nuisance effect at or beyond the boundary of the property on which the activity is occurring, and does not include temporary residential rental accommodation

Notes:

- For on-site accessible carparks and transport requirements for deliveries refer to the rules and standards in the Transport chapter.
- For requirements in respect of signs and noise, refer to the rules and standards in the <u>Signs</u> and <u>Noise chapters</u>

8. DEV2-P14 Non-Residential Activities: Insert the following text encouraging the provision of carparking:

DEV2-P14 Non-Residential Activities

- 1. Non-residential activities other than activities managed under the Community Facilities chapter will be allowed in the Residential Zones only if the activities are compatible with residential activities and the amenity values of residential areas, and if they provide a function which:
 - a. minimises the need to travel for daily goods and services;
 - b. supports the resilience of the local neighbourhood;
 - c. provides a service or function to the local neighbourhood; and
 - d. does not detract from the vitality of centres and other Working Zones.
- 2. In determining whether or not the scale of *effects* of *non-residential activities* is appropriate, particular regard shall be given to:
 - a. the appropriateness of the scale, size and intensity of the proposed *buildings* and activities and visual or landscape mitigation proposed;
 - b. the *effects* generated by the *buildings* and activities on the safety and efficiency of the local *transport network*, including the extent to which the activities make efficient use of the *transport network* by minimising the need to travel;
 - the appropriateness in the design and amount of proposed access
 and <u>accessible carparks</u> for staff, customers_τ and visitors and the location of access and loading for service/delivery vehicles;
 - d. <u>the location of access and loading for service /delivery vehicles and</u> the hours of operation, including the timing and frequency of delivery/service vehicles.

9. In APP2 - Medium Density Housing Design Guide: Insert the following text encouraging the provision of accessible carpark:

Access, Accessible Parking, Cycling and Pedestrians

IMPORTANT TO ENSURE:

- creation of environments that are safe, interesting and easy to walk and cycle around;
- · maintaining the amenity of primary pedestrian and cycle routes;
- · safety, legibility and comfort for pedestrians and cyclists.

Accessible carparks should be located at a convenient distance from main entry doors with safe accessible routes between the parking area and for users.

Units fronting a street provide their own pedestrian access.
Rear units to have a delineated pedestrian path (different material or colour) along any carriageways to the street frontage.

It is important to provide safe vehicle, cycling and pedestrian access and accessible carpark to developments whilst minimising the disruption of street frontages. Opportunities for cycling should be maximised including provision of parking and storage to encourage use of cycles.

Attached and multi-unit housing

For attached dwellings, if garaging is provided to each unit directly off the street, it should be recessed from the frontage by at least 1m. Where parking is provided via a rear lane, care should be taken to maintain the amenity of the laneway, by including planting, variations of paving treatment, and variations of rear building facades.



